

Alara Uranium Limited

An international energy and resources company

Strategic mineral assets and acquisitions

Advanced targets

Key portfolio of landholdings

Global demand



Excellent Management Team


Experienced Directors


- Shanker Madan Managing Director
- John Stephenson Chairman
- Farooq Khan Executive Director

Exploration Managers

- Jerko Zuvela Australia
- Guido Arroyo Peru







2007 completed programmes

Acquisitions:

- Acquisition of Crucero, Santa Rosa & Coasa uranium projects in Peru
- Acquisition of King Sound mineral sands project


Work Done:


- Mt James & Bigrlyi South airborne radiometric/magnetic surveys
- Crucero ground radiometric profile surveying Discovery of uranium mineralisation
- Mt James, Bigrlyi South & Mt Lawrence photo-geological interpretation
- Pampacolca rock sampling Discovery of uranium mineralisation
- Mt Lawrence air-core drilling
- Canning Well mag/lag sampling & reconnaissance
- Mt James, Bigrlyi South, Santa Rosa & Coasa reconnaissance & rock sampling
- King Sound heavy mineral sampling




Mt James

- 4 granted tenements (427km²)
- Airborne geophysical survey completed >100 U-channel anomalies selected.
 - Several anomalies larger than 1km long have recently been mapped through radiometric survey
- Photo-geological interpretation completed
- Shallow carnotite mineralisation in lateritic profile
- Deeper uraninite mineralisation in pegmatitic veins in the gneissic rocks – vein type deposits
 - Historic diamond core drill intersections incl 0.2m @ 0.17% U₃O₈ from 69.5m (MJD3) & 0.3m @ 0.14% U₃O₈ from 108.6m (MJD2)







Canning Well 2 tenements (280km²) – 1 granted; (awaiting grant of E46/585 – which contains the historically anomalous uranium, gold and base metal assay results) Mag/lag grid sampling completed – 1250 samples collected. Targeting historic gold and copper anomalies Reconnaissance survey of Uranium anomaly Reconnaissance survey of Uranium anomaly



Crucero

- 3 concessions (2600Ha)
- The project targets rhyolitic ignimbrites and ash flows of the Picotani Formation of Miocene-Pliocene age, which formation and lithologies host several known uranium occurrences in the district.
- Uranium is believed to have been released from the host rocks by supergene processes and concentrated in structures along fractures and faults within the volcanic tuffs.





Rhyolitic tuffs fill the Picotani basin (view to the West)



Crucero

- Ground radiometric profile surveying – 15 anomalies discovered;
- Two (2) priority anomalies with visible autunite mineralisation extend over a strike distance of 250m and 150m respectively
- Uranium (Autinite) mineralisation identified in fractures





Santa Rosa

Directors Presentation 2007

- 6 concessions = 4400Ha.
- Rhyolitic lava flows lie adjacent to an unconformity.
- The lavas are the main targets for uranium mineralisation.
- Large geochemical anomalies of over 200ppm uranium have been reported by Peruvian Institute of Nuclear Energy (IPEN) from chip samples adjacent to the unconformity in the region.



Volcanic sequence containing layers of rhyolite (ρ) surrounded by anglesite (α)



Coasa

- Large tenement holding 11 concessions (9600Ha)
- Permian age Coasa Granite is associated with the Hercinian tectonic event of southern Peru, where it is well exposed
- Historical IPEN sample returned 1900ppm Uranium
- · Veins and dykes in Permian age granite are anomalous in uranium





Uranium Anomaly located in Pegmatite Vein

Reconnaissance samples returned 500ppm & 470ppm Uranium



Directors Presentation 2007

2008 1st Semester Programme

- Drilling:
 - Crucero, Mt James and possibly Bigrlyi South
- Airborne radiometric/magnetic surveying:
 - Mt James, Coasa
- Ground Geophysical Surveying:
 - Crucero, Pampacolca
- Detailed Follow Up Sampling:
 - Mt James, Crucero, Pampacolca, Canning Well, King Sound
- Project Generation



